

Technical change of the manufacturing process of SL-SMT 3.50

Dear Madam or Sir,


Hereby we inform you about a technical change in the manufacturing process of SL-SMT 3.50.

1. Initial situation

Due to the currently high demands of our product SL-SMT 3.50 on the market, we decided to deliver these pin headers both with overmoulded pins as well as in conventional pin assembling to shortly increase our manufacturing capacities. In order to promptly reduce delivery times, the 6-month notification period will be reduced accordingly.

As soon this measure is not needed anymore we will change back to the former status and inform you immediately.

2. Technical differences between



- All technical data in both manufacturing processes (overmolding or conventional pin assembly) still comply with the specifications of the standards and guidelines of the IEC 60664-1 and the IEC 61984.
- The outer dimensions of the product will stay the same.
- Case of application – Components get potted on the PCB:
If the pin header is potted or coated on the board, with the conventionally mounted parts the pottant / casting compound can be pulled up on the solder pins.
In these special cases please inform our sales representatives in advance to an order.
www.weidmueller.com/contact
All article numbers used by customers where we are already informed about these cases, are excluded from this measure and accordingly not showed in the below article-listing.

3. Reason for change

Improvement of the current delivery situation.

4. Affected parts

A list of affected articles can be found in the appendix to this release

5. Data

The technical data is not affected by this measure.

Detailed data sheets are available in our online-catalogue.

<http://catalog.weidmueller.com/procat/ChangeLocale.do;jsessionid=2004872FFC9ABD4A8AA3B8D5863EE243?ChangeLocaleForm.localeId=en&ChangeLocaleForm.page=Group&ChangeLocaleForm.productId=&ChangeLocaleForm.groupId=%28%22group10784512702371%22%29>

For further questions please contact your sales office directly. All contacts for sales representatives are available here: www.weidmueller.com/contact

Best regards

Product Management
Business Unit Device Connectors

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16, 32758 Detmold, Germany

Weidmüller – Your partner in Industrial Connectivity
We look forward to sharing ideas with you – **Let's connect.**

partnumber	description	possible assembly process	
		coated	conventionel
1045030000	SL-SMT 3.50/02/90G 3.2SN BK RL	x	x
1026530000	SL-SMT 3.50/03/90G 3.2AU BK RL	x	x
1026540000	SL-SMT 3.50/05/90G 3.2AU BK RL	x	x
1762002001	SL-SMT 3.50/02/90F 1.5SN BK BX	x	x
1842080000	SL-SMT 3.50/02/90F 3.2SN BK BX	x	x
1804940000	SL-SMT 3.50/02/90LF 1.5SN BK BX	x	x
1805310000	SL-SMT 3.50/02/90LF 1.5SN BK RL	x	x
1409180000	SL-SMT 3.50/02/90LF 3.2AU BK BX	x	x
1841860000	SL-SMT 3.50/02/90LF 3.2SN BK BX	x	x
1379610000	SL-SMT 3.50/02/90RF 1.5SN BK BX	x	x
1427350000	SL-SMT 3.50/02/90RF 3.2SN BK BX	x	x
1842090000	SL-SMT 3.50/03/90F 3.2SN BK BX	x	x
1804950000	SL-SMT 3.50/03/90LF 1.5SN BK BX	x	x
1805320000	SL-SMT 3.50/03/90LF 1.5SN BK RL	x	x
1841870000	SL-SMT 3.50/03/90LF 3.2SN BK BX	x	x
1060810000	SL-SMT 3.50/03/90RF 1.5SN BK BX	x	x
2443310000	SL-SMT 3.50/03/90RF 1.5SN BK RL	x	x
1762022001	SL-SMT 3.50/04/90F 1.5SN BK BX	x	x
1804960000	SL-SMT 3.50/04/90LF 1.5SN BK BX	x	x
1805330000	SL-SMT 3.50/04/90LF 1.5SN BK RL	x	x
1044360000	SL-SMT 3.50/04/90LF 3.2AU BK BX	x	x
1841880000	SL-SMT 3.50/04/90LF 3.2SN BK BX	x	x
1879120000	SL-SMT 3.50/04/90LFR 1.5SN BK RL	x	x
1057410000	SL-SMT 3.50/04/90LFR 2.2SN BK RL	x	x
1000600000	SL-SMT 3.50/04/90RF 1.5SN BK BX	x	x
1836720000	SL-SMT 3.50/05/90F 1.5AU BK BX	x	x
1939780000	SL-SMT 3.50/05/90F 1.5AU BK RL	x	x
1762032001	SL-SMT 3.50/05/90F 1.5SN BK BX	x	x
1454610000	SL-SMT 3.50/05/90F 3.2AU BK BX	x	x
1842110000	SL-SMT 3.50/05/90F 3.2SN BK BX	x	x
1804970000	SL-SMT 3.50/05/90LF 1.5SN BK BX	x	x
1805340000	SL-SMT 3.50/05/90LF 1.5SN BK RL	x	x
1841890000	SL-SMT 3.50/05/90LF 3.2SN BK BX	x	x
1896460000	SL-SMT 3.50/05/90LFR 1.5SN BK RL	x	x
1000610000	SL-SMT 3.50/05/90RF 1.5SN BK BX	x	x
1856870000	SL-SMT 3.50/06/90LF 1.5AU BK BX	x	x
1804980000	SL-SMT 3.50/06/90LF 1.5SN BK BX	x	x
1805350000	SL-SMT 3.50/06/90LF 1.5SN BK RL	x	x
1841900000	SL-SMT 3.50/06/90LF 3.2SN BK BX	x	x
1783034001	SL-SMT 3.50/06/90LFL 1.5SN BK RL	x	x
1057400000	SL-SMT 3.50/06/90LFL 2.2SN BK RL	x	x
1783044001	SL-SMT 3.50/06/90LFR 1.5SN BK RL	x	x
1000620000	SL-SMT 3.50/06/90RF 1.5SN BK BX	x	x
1804990000	SL-SMT 3.50/07/90LF 1.5SN BK BX	x	x
1805360000	SL-SMT 3.50/07/90LF 1.5SN BK RL	x	x
1074370000	SL-SMT 3.50/07/90LF 1.5SN BK RL TB	x	x
1841910000	SL-SMT 3.50/07/90LF 3.2SN BK BX	x	x
1000630000	SL-SMT 3.50/07/90RF 1.5SN BK BX	x	x
1762064001	SL-SMT 3.50/08/90F 1.5SN BK RL	x	x
1842140000	SL-SMT 3.50/08/90F 3.2SN BK BX	x	x
1865290000	SL-SMT 3.50/08/90LF 1.5AU BK BX	x	x
1805000000	SL-SMT 3.50/08/90LF 1.5SN BK BX	x	x
2505920000	SL-SMT 3.50/08/90LF 1.5SN BK RL SO	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1841920000	SL-SMT 3.50/08/90LF 3.2SN BK BX	x	x
1868340000	SL-SMT 3.50/08/90LF 3.2SN BK RL	x	x
1000640000	SL-SMT 3.50/08/90RF 1.5SN BK BX	x	x
1842150000	SL-SMT 3.50/09/90F 3.2SN BK BX	x	x
1805010000	SL-SMT 3.50/09/90LF 1.5SN BK BX	x	x
1805380000	SL-SMT 3.50/09/90LF 1.5SN BK RL	x	x
1041750000	SL-SMT 3.50/09/90LF 3.2AU BK BX	x	x
1841930000	SL-SMT 3.50/09/90LF 3.2SN BK BX	x	x
1000650000	SL-SMT 3.50/09/90RF 1.5SN BK BX	x	x
2426690000	SL-SMT 3.50/10/270F 1.9AU BK BX	x	x
1762082001	SL-SMT 3.50/10/90F 1.5SN BK BX	x	x
1842160000	SL-SMT 3.50/10/90F 3.2SN BK BX	x	x
1041840000	SL-SMT 3.50/10/90F 3.2SN BK RL	x	x
1805020000	SL-SMT 3.50/10/90LF 1.5SN BK BX	x	x
1005180000	SL-SMT 3.50/10/90LF 1.5SN BK RL	x	x
1175060000	SL-SMT 3.50/10/90LF 1.5SN BK RL CO	x	x
1027420000	SL-SMT 3.50/10/90LF 3.2AU BK BX	x	x
1841940000	SL-SMT 3.50/10/90LF 3.2SN BK BX	x	x
1050530000	SL-SMT 3.50/10/90LF 3.2SN BK RL	x	x
1114690000	SL-SMT 3.50/10/90LF 3.2SN BK RL CO	x	x
1114700000	SL-SMT 3.50/10/90LF 3.2SN BK RL CO	x	x
1060780000	SL-SMT 3.50/10/90RF 1.5SN BK BX	x	x
1060800000	SL-SMT 3.50/10/90RF 2.6SN BK RL	x	x
1842170000	SL-SMT 3.50/11/90F 3.2SN BK BX	x	x
1841950000	SL-SMT 3.50/11/90LF 3.2SN BK BX	x	x
1000660000	SL-SMT 3.50/11/90RF 1.5SN BK BX	x	x
2652770000	SL-SMT 3.50/12/90F 3.2AU BK BX	x	x
1805040000	SL-SMT 3.50/12/90LF 1.5SN BK BX	x	x
1944820000	SL-SMT 3.50/12/90LF 1.5SN BK RL	x	x
1804340000	SL-SMT 3.50/12/90LF 3.2SN BK BX	x	x
1044040000	SL-SMT 3.50/12/90LF 3.2SN BK RL	x	x
1000670000	SL-SMT 3.50/12/90RF 1.5SN BK BX	x	x
1842190000	SL-SMT 3.50/13/90F 3.2SN BK BX	x	x
1841960000	SL-SMT 3.50/13/90LF 3.2SN BK BX	x	x
1000680000	SL-SMT 3.50/13/90RF 1.5SN BK BX	x	x
1842200000	SL-SMT 3.50/14/90F 3.2SN BK BX	x	x
1841970000	SL-SMT 3.50/14/90LF 3.2SN BK BX	x	x
1000690000	SL-SMT 3.50/14/90RF 1.5SN BK BX	x	x
1842210000	SL-SMT 3.50/15/90F 3.2SN BK BX	x	x
1805070000	SL-SMT 3.50/15/90LF 1.5SN BK BX	x	x
1841980000	SL-SMT 3.50/15/90LF 3.2SN BK BX	x	x
1000700000	SL-SMT 3.50/15/90RF 1.5SN BK BX	x	x
1842220000	SL-SMT 3.50/16/90F 3.2SN BK BX	x	x
1805080000	SL-SMT 3.50/16/90LF 1.5SN BK BX	x	x
1044050000	SL-SMT 3.50/16/90LF 1.5SN BK RL	x	x
1841990000	SL-SMT 3.50/16/90LF 3.2SN BK BX	x	x
1060820000	SL-SMT 3.50/16/90RF 1.5SN BK BX	x	x
1842230000	SL-SMT 3.50/17/90F 3.2SN BK BX	x	x
1842000000	SL-SMT 3.50/17/90LF 3.2SN BK BX	x	x
1842240000	SL-SMT 3.50/18/90F 3.2SN BK BX	x	x
1842010000	SL-SMT 3.50/18/90LF 3.2SN BK BX	x	x
2535460000	SL-SMT 3.50/18/90LF 3.2SN BK BX SO	x	x
1842250000	SL-SMT 3.50/19/90F 3.2SN BK BX	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1842020000	SL-SMT 3.50/19/90LF 3.2SN BK BX	x	x
1842260000	SL-SMT 3.50/20/90F 3.2SN BK BX	x	x
1805120000	SL-SMT 3.50/20/90LF 1.5SN BK BX	x	x
1409190000	SL-SMT 3.50/20/90LF 3.2AU BK BX	x	x
1842030000	SL-SMT 3.50/20/90LF 3.2SN BK BX	x	x
1842270000	SL-SMT 3.50/21/90F 3.2SN BK BX	x	x
1842040000	SL-SMT 3.50/21/90LF 3.2SN BK BX	x	x
1842280000	SL-SMT 3.50/22/90F 3.2SN BK BX	x	x
1842050000	SL-SMT 3.50/22/90LF 3.2SN BK BX	x	x
1842290000	SL-SMT 3.50/23/90F 3.2SN BK BX	x	x
1842060000	SL-SMT 3.50/23/90LF 3.2SN BK BX	x	x
1842300000	SL-SMT 3.50/24/90F 3.2SN BK BX	x	x
1805160000	SL-SMT 3.50/24/90LF 1.5SN BK BX	x	x
1842070000	SL-SMT 3.50/24/90LF 3.2SN BK BX	x	x
1939160000	SL-SMT3.5/10/90FA 3.2SR	x	x
1760962001	SL-SMT 3.50/02/180F 1.5SN BK BX	x	x
1842770000	SL-SMT 3.50/02/180F 3.2SN BK BX	x	x
1804700000	SL-SMT 3.50/02/180LF 1.5SN BK BX	x	x
1805210000	SL-SMT 3.50/02/180LF 1.5SN BK RL	x	x
1842540000	SL-SMT 3.50/02/180LF 3.2SN BK BX	x	x
2001250000	SL-SMT 3.50/02/180RF 1.5SN BK BX	x	x
1760972001	SL-SMT 3.50/03/180F 1.5SN BK BX	x	x
1760974001	SL-SMT 3.50/03/180F 1.5SN BK RL	x	x
1842780000	SL-SMT 3.50/03/180F 3.2SN BK BX	x	x
1804710000	SL-SMT 3.50/03/180LF 1.5SN BK BX	x	x
1805230000	SL-SMT 3.50/03/180LF 1.5SN BK RL	x	x
1842550000	SL-SMT 3.50/03/180LF 3.2SN BK BX	x	x
1760982001	SL-SMT 3.50/04/180F 1.5SN BK BX	x	x
1842790000	SL-SMT 3.50/04/180F 3.2SN BK BX	x	x
1804720000	SL-SMT 3.50/04/180LF 1.5SN BK BX	x	x
1805240000	SL-SMT 3.50/04/180LF 1.5SN BK RL	x	x
1842560000	SL-SMT 3.50/04/180LF 3.2SN BK BX	x	x
1760992001	SL-SMT 3.50/05/180F 1.5SN BK BX	x	x
1842800000	SL-SMT 3.50/05/180F 3.2SN BK BX	x	x
1804730000	SL-SMT 3.50/05/180LF 1.5SN BK BX	x	x
1805250000	SL-SMT 3.50/05/180LF 1.5SN BK RL	x	x
1842570000	SL-SMT 3.50/05/180LF 3.2SN BK BX	x	x
1761002001	SL-SMT 3.50/06/180F 1.5SN BK BX	x	x
1842810000	SL-SMT 3.50/06/180F 3.2SN BK BX	x	x
1804740000	SL-SMT 3.50/06/180LF 1.5SN BK BX	x	x
1805270000	SL-SMT 3.50/06/180LF 1.5SN BK RL	x	x
1842580000	SL-SMT 3.50/06/180LF 3.2SN BK BX	x	x
1842820000	SL-SMT 3.50/07/180F 3.2SN BK BX	x	x
1805280000	SL-SMT 3.50/07/180LF 1.5SN BK RL	x	x
1842590000	SL-SMT 3.50/07/180LF 3.2SN BK BX	x	x
1761022001	SL-SMT 3.50/08/180F 1.5SN BK BX	x	x
1761024001	SL-SMT 3.50/08/180F 1.5SN BK RL	x	x
1842830000	SL-SMT 3.50/08/180F 3.2SN BK BX	x	x
1804760000	SL-SMT 3.50/08/180LF 1.5SN BK BX	x	x
1805290000	SL-SMT 3.50/08/180LF 1.5SN BK RL	x	x
1842600000	SL-SMT 3.50/08/180LF 3.2SN BK BX	x	x
1842840000	SL-SMT 3.50/09/180F 3.2SN BK BX	x	x
1804770000	SL-SMT 3.50/09/180LF 1.5SN BK BX	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1805300000	SL-SMT 3.50/09/180LF 1.5SN BK RL	x	x
1842610000	SL-SMT 3.50/09/180LF 3.2SN BK BX	x	x
1761042001	SL-SMT 3.50/10/180F 1.5SN BK BX	x	x
1842850000	SL-SMT 3.50/10/180F 3.2SN BK BX	x	x
1804780000	SL-SMT 3.50/10/180LF 1.5SN BK BX	x	x
1842620000	SL-SMT 3.50/10/180LF 3.2SN BK BX	x	x
1393790000	SL-SMT 3.50/10/180LF 3.2SN BK RL	x	x
1842860000	SL-SMT 3.50/11/180F 3.2SN BK BX	x	x
1842630000	SL-SMT 3.50/11/180LF 3.2SN BK BX	x	x
1842870000	SL-SMT 3.50/12/180F 3.2SN BK BX	x	x
1804800000	SL-SMT 3.50/12/180LF 1.5SN BK BX	x	x
1045040000	SL-SMT 3.50/12/180LF 1.5SN BK RL	x	x
1842640000	SL-SMT 3.50/12/180LF 3.2SN BK BX	x	x
1842880000	SL-SMT 3.50/13/180F 3.2SN BK BX	x	x
1804810000	SL-SMT 3.50/13/180LF 1.5SN BK BX	x	x
1842650000	SL-SMT 3.50/13/180LF 3.2SN BK BX	x	x
1045050000	SL-SMT 3.50/14/180F 1.5SN BK RL	x	x
1842890000	SL-SMT 3.50/14/180F 3.2SN BK BX	x	x
2535450000	SL-SMT 3.50/14/180F 3.2SN BK BX SO	x	x
1842660000	SL-SMT 3.50/14/180LF 3.2SN BK BX	x	x
1842900000	SL-SMT 3.50/15/180F 3.2SN BK BX	x	x
2535470000	SL-SMT 3.50/15/180F 3.2SN BK BX SO	x	x
1842670000	SL-SMT 3.50/15/180LF 3.2SN BK BX	x	x
1842910000	SL-SMT 3.50/16/180F 3.2SN BK BX	x	x
2535480000	SL-SMT 3.50/16/180F 3.2SN BK BX SO	x	x
1804840000	SL-SMT 3.50/16/180LF 1.5SN BK BX	x	x
1949570000	SL-SMT 3.50/16/180LF 1.5SN BK TY	x	x
1842680000	SL-SMT 3.50/16/180LF 3.2SN BK BX	x	x
1842920000	SL-SMT 3.50/17/180F 3.2SN BK BX	x	x
1842690000	SL-SMT 3.50/17/180LF 3.2SN BK BX	x	x
1761122001	SL-SMT 3.50/18/180F 1.5SN BK BX	x	x
1896500000	SL-SMT 3.50/18/180F 1.5SN BK RL	x	x
1842930000	SL-SMT 3.50/18/180F 3.2SN BK BX	x	x
1044070000	SL-SMT 3.50/18/180F 3.2SN BK RL	x	x
1804860000	SL-SMT 3.50/18/180LF 1.5SN BK BX	x	x
1842700000	SL-SMT 3.50/18/180LF 3.2SN BK BX	x	x
1842940000	SL-SMT 3.50/19/180F 3.2SN BK BX	x	x
1842710000	SL-SMT 3.50/19/180LF 3.2SN BK BX	x	x
1842950000	SL-SMT 3.50/20/180F 3.2SN BK BX	x	x
1842720000	SL-SMT 3.50/20/180LF 3.2SN BK BX	x	x
1842960000	SL-SMT 3.50/21/180F 3.2SN BK BX	x	x
1842730000	SL-SMT 3.50/21/180LF 3.2SN BK BX	x	x
1842970000	SL-SMT 3.50/22/180F 3.2SN BK BX	x	x
1842740000	SL-SMT 3.50/22/180LF 3.2SN BK BX	x	x
1842980000	SL-SMT 3.50/23/180F 3.2SN BK BX	x	x
1842750000	SL-SMT 3.50/23/180LF 3.2SN BK BX	x	x
1842990000	SL-SMT 3.50/24/180F 3.2SN BK BX	x	x
1804930000	SL-SMT 3.50/24/180LF 1.5SN BK BX	x	x
1842760000	SL-SMT 3.50/24/180LF 3.2SN BK BX	x	x
1003510000	SL-SMT 3.50/02/135F 3.2SN BK BX	x	x
1003520000	SL-SMT 3.50/03/135F 3.2SN BK BX	x	x
1003530000	SL-SMT 3.50/04/135F 3.2SN BK BX	x	x
1003540000	SL-SMT 3.50/05/135F 3.2SN BK BX	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1003550000	SL-SMT 3.50/06/135F 3.2SN BK BX	x	x
1003560000	SL-SMT 3.50/07/135F 3.2SN BK BX	x	x
1003570000	SL-SMT 3.50/08/135F 3.2SN BK BX	x	x
1003580000	SL-SMT 3.50/09/135F 3.2SN BK BX	x	x
1003590000	SL-SMT 3.50/10/135F 3.2SN BK BX	x	x
1003600000	SL-SMT 3.50/11/135F 3.2SN BK BX	x	x
1003620000	SL-SMT 3.50/12/135F 3.2SN BK BX	x	x
1003630000	SL-SMT 3.50/13/135F 3.2SN BK BX	x	x
1003640000	SL-SMT 3.50/14/135F 3.2SN BK BX	x	x
1003650000	SL-SMT 3.50/15/135F 3.2SN BK BX	x	x
1003660000	SL-SMT 3.50/16/135F 3.2SN BK BX	x	x
1003670000	SL-SMT 3.50/17/135F 3.2SN BK BX	x	x
1003680000	SL-SMT 3.50/18/135F 3.2SN BK BX	x	x
1003690000	SL-SMT 3.50/19/135F 3.2SN BK BX	x	x
1003700000	SL-SMT 3.50/20/135F 3.2SN BK BX	x	x
1003710000	SL-SMT 3.50/21/135F 3.2SN BK BX	x	x
1003720000	SL-SMT 3.50/22/135F 3.2SN BK BX	x	x
1003730000	SL-SMT 3.50/23/135F 3.2SN BK BX	x	x
1003740000	SL-SMT 3.50/24/135F 3.2SN BK BX	x	x
1761544002	SL-SMT 3.50/02/90G 1.5SN BK RL	x	x
2016130000	SL-SMT 3.50/02/90G 1.5SN BK RL SO	x	x
1507710000	SL-SMT 3.50/02/90G 3.2AU BK RL	x	x
1841630000	SL-SMT 3.50/02/90G 3.2SN BK BX	x	x
1291300000	SL-SMT 3.50/03/180RF 1.5SN BK BX	x	x
2441790000	SL-SMT 3.50/03/180RF 3.2SN BK BX	x	x
1761784001	SL-SMT 3.50/03/90 1.5SN BK RL	x	x
1761552001	SL-SMT 3.50/03/90G 1.5SN BK BX	x	x
1761554002	SL-SMT 3.50/03/90G 1.5SN BK RL	x	x
2016140000	SL-SMT 3.50/03/90G 1.5SN BK RL SO	x	x
1938380000	SL-SMT 3.50/03/90G 3.2AU BK BX	x	x
1841640000	SL-SMT 3.50/03/90G 3.2SN BK BX	x	x
1291310000	SL-SMT 3.50/04/180RF 1.5SN BK BX	x	x
2441800000	SL-SMT 3.50/04/180RF 3.2SN BK BX	x	x
1116020000	SL-SMT 3.50/04/90 3.2SN BK RL	x	x
1761562001	SL-SMT 3.50/04/90G 1.5SN BK BX	x	x
1761564001	SL-SMT 3.50/04/90G 1.5SN BK RL	x	x
1471410000	SL-SMT 3.50/04/90G 2.6SN BK RL	x	x
1841650000	SL-SMT 3.50/04/90G 3.2SN BK BX	x	x
1272710000	SL-SMT 3.50/04/90G 3.2SN BK RL	x	x
1291320000	SL-SMT 3.50/05/180RF 1.5SN BK BX	x	x
2441810000	SL-SMT 3.50/05/180RF 3.2SN BK BX	x	x
1761572001	SL-SMT 3.50/05/90G 1.5SN BK BX	x	x
1761574002	SL-SMT 3.50/05/90G 1.5SN BK RL	x	x
1841660000	SL-SMT 3.50/05/90G 3.2SN BK BX	x	x
1139660000	SL-SMT 3.50/05/90G 3.2SN BK RL	x	x
1291330000	SL-SMT 3.50/06/180RF 1.5SN BK BX	x	x
1761814001	SL-SMT 3.50/06/90 1.5SN BK RL	x	x
1173150000	SL-SMT 3.50/06/90G 1.5AU BK BX	x	x
1761584001	SL-SMT 3.50/06/90G 1.5SN BK RL	x	x
1926020000	SL-SMT 3.50/06/90G 1.5SN BK RL SO	x	x
1319180000	SL-SMT 3.50/06/90G 2.6SN BK RL SO	x	x
1062980000	SL-SMT 3.50/06/90G 3.2AU SW RL	x	x
1841670000	SL-SMT 3.50/06/90G 3.2SN BK BX	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1272690000	SL-SMT 3.50/06/90G 3.2SN BK RL	x	x
1291340000	SL-SMT 3.50/07/180RF 1.5SN BK BX	x	x
2441820000	SL-SMT 3.50/07/180RF 3.2SN BK BX	x	x
1761594001	SL-SMT 3.50/07/90G 1.5SN BK RL	x	x
1841680000	SL-SMT 3.50/07/90G 3.2SN BK BX	x	x
1291370000	SL-SMT 3.50/08/180RF 1.5SN BK BX	x	x
1761834001	SL-SMT 3.50/08/90 1.5SN BK RL	x	x
1878580000	SL-SMT 3.50/08/90G 1.5AU BK BX PRT	x	x
1761604001	SL-SMT 3.50/08/90G 1.5SN BK RL	x	x
1841690000	SL-SMT 3.50/08/90G 3.2SN BK BX	x	x
1291380000	SL-SMT 3.50/09/180RF 1.5SN BK BX	x	x
2441830000	SL-SMT 3.50/09/180RF 3.2SN BK BX	x	x
1077330000	SL-SMT 3.50/09/90G 1.5AU BK BX	x	x
1761612001	SL-SMT 3.50/09/90G 1.5SN BK BX	x	x
1761614001	SL-SMT 3.50/09/90G 1.5SN BK RL	x	x
1791590000	SL-SMT 3.50/09/90G 1.5SN BK RL SO	x	x
2503320000	SL-SMT 3.50/09/90G 3.2AU BK BX	x	x
1841700000	SL-SMT 3.50/09/90G 3.2SN BK BX	x	x
1291390000	SL-SMT 3.50/10/180RF 1.5SN BK BX	x	x
2563790000	SL-SMT 3.50/10/180RF 3.2SN BK BX	x	x
1761622001	SL-SMT 3.50/10/90G 1.5SN BK BX	x	x
2432990000	SL-SMT 3.50/10/90G 1.5SN BK BX TB	x	x
1761624001	SL-SMT 3.50/10/90G 1.5SN BK RL	x	x
2473680000	SL-SMT 3.50/10/90G 1.5SN BK RL TB	x	x
1291400000	SL-SMT 3.50/11/180RF 1.5SN BK BX	x	x
1761634001	SL-SMT 3.50/11/90G 1.5SN BK RL	x	x
1841720000	SL-SMT 3.50/11/90G 3.2SN BK BX	x	x
1291410000	SL-SMT 3.50/12/180RF 1.5SN BK BX	x	x
2585130000	SL-SMT 3.50/12/180RF 1.5SN BK RL	x	x
2591920000	SL-SMT 3.50/12/180RF 1.5SN BK RL CO	x	x
2591950000	SL-SMT 3.50/12/180RF 1.5SN BK RL CO	x	x
2568170000	SL-SMT 3.50/12/180RF 3.2SN BK BX	x	x
1795160000	SL-SMT 3.50/12/90G 1.5AU BK RL PRT	x	x
1761642001	SL-SMT 3.50/12/90G 1.5SN BK BX	x	x
1761643001	SL-SMT 3.50/12/90G 1.5SN BK TY	x	x
1841730000	SL-SMT 3.50/12/90G 3.2SN BK BX	x	x
1490230000	SL-SMT 3.50/12/90G 3.2SN BK RL	x	x
1291420000	SL-SMT 3.50/13/180RF 1.5SN BK BX	x	x
1870820000	SL-SMT 3.50/13/90G 1.5AU BK RL PRT	x	x
1841740000	SL-SMT 3.50/13/90G 3.2SN BK BX	x	x
1291430000	SL-SMT 3.50/14/180RF 1.5SN BK BX	x	x
1761662001	SL-SMT 3.50/14/90G 1.5SN BK BX	x	x
1063010000	SL-SMT 3.50/14/90G 3.2AU SW RL	x	x
1841750000	SL-SMT 3.50/14/90G 3.2SN BK BX	x	x
1291440000	SL-SMT 3.50/15/180RF 1.5SN BK BX	x	x
1761672001	SL-SMT 3.50/15/90G 1.5SN BK BX	x	x
1841760000	SL-SMT 3.50/15/90G 3.2SN BK BX	x	x
1291450000	SL-SMT 3.50/16/180RF 1.5SN BK BX	x	x
1761682001	SL-SMT 3.50/16/90G 1.5SN BK BX	x	x
1048310000	SL-SMT 3.50/16/90G 2.1SN BK RL	x	x
1841770000	SL-SMT 3.50/16/90G 3.2SN BK BX	x	x
1761922001	SL-SMT 3.50/17/90 1.5SN BK BX	x	x
1841780000	SL-SMT 3.50/17/90G 3.2SN BK BX	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1841790000	SL-SMT 3.50/18/90G 3.2SN BK BX	x	x
1063020000	SL-SMT 3.50/19/90G 3.2AU SW RL	x	x
1841800000	SL-SMT 3.50/19/90G 3.2SN BK BX	x	x
1841810000	SL-SMT 3.50/20/90G 3.2SN BK BX	x	x
1761732001	SL-SMT 3.50/21/90G 1.5SN BK BX	x	x
1841820000	SL-SMT 3.50/21/90G 3.2SN BK BX	x	x
1841830000	SL-SMT 3.50/22/90G 3.2SN BK BX	x	x
1841840000	SL-SMT 3.50/23/90G 3.2SN BK BX	x	x
1761762001	SL-SMT 3.50/24/90G 1.5SN BK BX	x	x
1026520000	SL-SMT 3.50/24/90G 3.2AU BK BX	x	x
1045430000	SL-SMT 3.50/24/90G 3.2AU BK BX CO	x	x
1045440000	SL-SMT 3.50/24/90G 3.2AU BK BX CO	x	x
1841850000	SL-SMT 3.50/24/90G 3.2SN BK BX	x	x
1752982001	SL-SMT 3.50/02/180G 1.5SN BK BX	x	x
1752984002	SL-SMT 3.50/02/180G 1.5SN BK RL	x	x
2437260000	SL-SMT 3.50/02/180G 2.6SN BK RL	x	x
1842320000	SL-SMT 3.50/02/180G 3.2SN BK BX	x	x
1264130000	SL-SMT 3.50/02/180G 3.2SN BK RL	x	x
1752992001	SL-SMT 3.50/03/180G 1.5SN BK BX	x	x
1752994002	SL-SMT 3.50/03/180G 1.5SN BK RL	x	x
2461030000	SL-SMT 3.50/03/180G 3.2AU BK BX	x	x
1461270000	SL-SMT 3.50/03/180G 3.2AU BK RL	x	x
1842330000	SL-SMT 3.50/03/180G 3.2SN BK BX	x	x
1044310000	SL-SMT 3.50/03/180G 3.2SN BK RL	x	x
1753002001	SL-SMT 3.50/04/180G 1.5SN BK BX	x	x
1753004002	SL-SMT 3.50/04/180G 1.5SN BK RL	x	x
1471430000	SL-SMT 3.50/04/180G 2.6SN BK RL	x	x
1319190000	SL-SMT 3.50/04/180G 2.6SN BK RL SO	x	x
1905180000	SL-SMT 3.50/04/180G 3.2AU BK BX	x	x
1842340000	SL-SMT 3.50/04/180G 3.2SN BK BX	x	x
1934590000	SL-SMT 3.50/04/180G 3.2SN BK RL	x	x
1753012001	SL-SMT 3.50/05/180G 1.5SN BK BX	x	x
1753014002	SL-SMT 3.50/05/180G 1.5SN BK RL	x	x
1753014099	SL-SMT 3.50/05/180G 1.5SN BK RL	x	x
1319220000	SL-SMT 3.50/05/180G 2.6SN BK RL SO	x	x
1319230000	SL-SMT 3.50/05/180G 2.6SN BK RL SO	x	x
1842350000	SL-SMT 3.50/05/180G 3.2SN BK BX	x	x
1934600000	SL-SMT 3.50/05/180G 3.2SN BK RL	x	x
1753022001	SL-SMT 3.50/06/180G 1.5SN BK BX	x	x
1753024001	SL-SMT 3.50/06/180G 1.5SN BK RL	x	x
1842360000	SL-SMT 3.50/06/180G 3.2SN BK BX	x	x
1934610000	SL-SMT 3.50/06/180G 3.2SN BK RL	x	x
1518990000	SL-SMT 3.50/07/180G 1.5AU BK RL	x	x
1753032001	SL-SMT 3.50/07/180G 1.5SN BK BX	x	x
1753034001	SL-SMT 3.50/07/180G 1.5SN BK RL	x	x
1842370000	SL-SMT 3.50/07/180G 3.2SN BK BX	x	x
1934620000	SL-SMT 3.50/07/180G 3.2SN BK RL	x	x
1519000000	SL-SMT 3.50/08/180G 1.5AU BK RL	x	x
1753042001	SL-SMT 3.50/08/180G 1.5SN BK BX	x	x
1753044001	SL-SMT 3.50/08/180G 1.5SN BK RL	x	x
1842380000	SL-SMT 3.50/08/180G 3.2SN BK BX	x	x
1934630000	SL-SMT 3.50/08/180G 3.2SN BK RL	x	x
1753052001	SL-SMT 3.50/09/180G 1.5SN BK BX	x	x

partnumber	description	possible assembly process	
		coated	conventionel
1753054001	SL-SMT 3.50/09/180G 1.5SN BK RL	x	x
1319210000	SL-SMT 3.50/09/180G 2.6SN BK RL SO	x	x
1842390000	SL-SMT 3.50/09/180G 3.2SN BK BX	x	x
1115640000	SL-SMT 3.50/09/180G 3.2SN BK TY	x	x
1760812001	SL-SMT 3.50/10/180 1.5SN BK BX	x	x
1753062001	SL-SMT 3.50/10/180G 1.5SN BK BX	x	x
1753064001	SL-SMT 3.50/10/180G 1.5SN BK RL	x	x
1319200000	SL-SMT 3.50/10/180G 2.6SN BK RL SO	x	x
1861820000	SL-SMT 3.50/10/180G 3.2AU BK BX	x	x
1934650000	SL-SMT 3.50/10/180G 3.2SN BK RL	x	x
1115650000	SL-SMT 3.50/10/180G 3.2SN BK TY	x	x
1753072001	SL-SMT 3.50/11/180G 1.5SN BK BX	x	x
1753074001	SL-SMT 3.50/11/180G 1.5SN BK RL	x	x
1319240000	SL-SMT 3.50/11/180G 2.6SN BK RL SO	x	x
1842400000	SL-SMT 3.50/11/180G 3.2SN BK BX	x	x
1043140000	SL-SMT 3.50/11/180G 3.2SN BK TY	x	x
1753082001	SL-SMT 3.50/12/180G 1.5SN BK BX	x	x
1896520000	SL-SMT 3.50/12/180G 1.5SN BK RL	x	x
1753083001	SL-SMT 3.50/12/180G 1.5SN BK TY	x	x
1317790000	SL-SMT 3.50/12/180G 3.2AU BK BX	x	x
1842410000	SL-SMT 3.50/12/180G 3.2SN BK BX	x	x
1928230000	SL-SMT 3.50/12/180G 3.2SN BK RL	x	x
1043150000	SL-SMT 3.50/12/180G 3.2SN BK TY	x	x
1753092001	SL-SMT 3.50/13/180G 1.5SN BK BX	x	x
1842420000	SL-SMT 3.50/13/180G 3.2SN BK BX	x	x
1043160000	SL-SMT 3.50/13/180G 3.2SN BK TY	x	x
1753102001	SL-SMT 3.50/14/180G 1.5SN BK BX	x	x
1293630000	SL-SMT 3.50/14/180G 1.5SN BK RL	x	x
1842430000	SL-SMT 3.50/14/180G 3.2SN BK BX	x	x
1928250000	SL-SMT 3.50/14/180G 3.2SN BK RL	x	x
1842440000	SL-SMT 3.50/15/180G 3.2SN BK BX	x	x
1753122001	SL-SMT 3.50/16/180G 1.5SN BK BX	x	x
1842450000	SL-SMT 3.50/16/180G 3.2SN BK BX	x	x
1043170000	SL-SMT 3.50/16/180G 3.2SN BK TY	x	x
1842460000	SL-SMT 3.50/17/180G 3.2SN BK BX	x	x
1753142001	SL-SMT 3.50/18/180G 1.5SN BK BX	x	x
1896530000	SL-SMT 3.50/18/180G 1.5SN BK RL	x	x
1842470000	SL-SMT 3.50/18/180G 3.2SN BK BX	x	x
1043180000	SL-SMT 3.50/18/180G 3.2SN BK TY	x	x
1764532001	SL-SMT 3.50/19/180G 1.5SN BK BX TB	x	x
1842480000	SL-SMT 3.50/19/180G 3.2SN BK BX	x	x
1043190000	SL-SMT 3.50/19/180G 3.2SN BK TY	x	x
1842490000	SL-SMT 3.50/20/180G 3.2SN BK BX	x	x
1842500000	SL-SMT 3.50/21/180G 3.2SN BK BX	x	x
1842510000	SL-SMT 3.50/22/180G 3.2SN BK BX	x	x
1842520000	SL-SMT 3.50/23/180G 3.2SN BK BX	x	x
1753202001	SL-SMT 3.50/24/180G 1.5SN BK BX	x	x
1842530000	SL-SMT 3.50/24/180G 3.2SN BK BX	x	x
1920870000	SL-SMT3.5/3/180GA5.05SN	x	x